



KOYO BEARING LIMITED



0.984 Inch | 25 Millimeter x 2.047 Inch | 52 Millimeter x 0.709 Inch | 18 Millimeter SKF NJ 2205 ECP/C4 Cylindrical Roller Bearings

Bearing No. NJ 2205 ECP/C4

NJ 2205 ECP/C4 Bearing 2D drawings and 3D CAD models

Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.174
EAN	7316570551839
Product Group	B04144
Bore Profile	Straight
Cage Material	Polymer
Precision Class	RBEC 1 ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring - One Side
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C4-Extra Loose
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	High Capacity 1 Rib Inner Ring 2 Rib Outer Ring Cage on Outer Ring ID
Long Description	25MM Bore; Straight Bore Profile; 52MM Outside Diameter; 18MM Width;



KOYO BEARING LIMITED

	Polymer Cage Material; RBEC 1 ISO P0; Single Row; Inner Ring - One Side Separable; No Snap Ring; Relubricatable; C4-Extra Loose
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	NJ 2205 ECP/C4
Weight / LBS	0.383
D	2.047 Inch 52 Millimeter
d	0.984 Inch 25 Millimeter
B	0.709 Inch 18 Millimeter
bore diameter:	25 mm
static load capacity:	34 kN
outside diameter:	52 mm
precision rating:	Not Rated
overall width:	18 mm
maximum rpm:	16000 RPM
flanges:	(2) Outer Ring, (1) Inner Ring
cage material:	Polyamide
bore type:	Straight
finish/coating:	Uncoated
number of rows:	1
closure type:	Open
internal clearance:	C4
outer ring width:	18 mm
ring separation:	Separable Ring
fillet radius:	1 mm
operating temperature	Maximum of +300 ° F



KOYO BEARING LIMITED

range:	
series:	NJ22
dynamic load capacity:	34.1 kN