



KOYO BEARING LIMITED

4.75 Inch | 120.65 Millimeter x 3.74 Inch | 95 Millimeter x 6.378 Inch | 162 Millimeter TIMKEN LSE412BXHSATL Pillow Block Bearings



LSE412BXHSATL Bearing 2D drawings and 3D CAD models

Bearing No. LSE412BXHSATL

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	73.42
EAN	0013992056405
Product Group	B04144
Number of Mounting Holes	4
Mounting Method	Clamp Collar
Housing Style	4 Bolt Pillow Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Expansion
Mounting Bolts	24 Millimeter
Relubricatable	Yes
Insert Part Number	LSE412BX
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Inch - Metric	Inch
Other Features	Single Row Light Duty With Support Wide Inner Ring
Category	Pillow Block Bearings
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80



KOYO BEARING LIMITED

Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.timken.com
Weight / LBS	161.72
Actual Bolt Center to Center	17.7 Inch 450 Millimeter
d	4.75 Inch 120.65 Millimeter
Nominal Bolt Center to Center	17.7 Inch 450 Millimeter
B	6.378 Inch 162 Millimeter
D	3.74 Inch 95 Millimeter
Bolt Spacing Minimum	0 Inch 0 Millimeter
Bolt Spacing Maximum	0 Inch 0 Millimeter
Shaft Size	4.75 in
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Expansion Type
Support Type	Four-Bolt Plummer Block
Series Type	Light Series
Pillow/Plummer Block Style	Split Cylindrical Housed Unit - Standard
Bolt Size	4 x M24
Weight	174 lb
Dimension H	6.378 in
Dimension H1	1.5 in
Dimension H2	14.6 in
Dimension J	17.7 in
Dimension K	4.7 in
Dimension L	20.0 in
Dimension M	7.0 in
Housing Width	6.1 in
Cr - Dynamic Load Rating	81606 lbf



KOYO BEARING LIMITED

Cor - Static Load Rating	111505 lbf
Maximum Speed	1740 rpm
Note	This product line was formerly known as "Revolvo"