



KOYO BEARING LIMITED

4.938 Inch | 125.425 Millimeter x 3.74 Inch | 95 Millimeter x 6.378 Inch | 162 Millimeter TIMKEN LSE415BRHSNQATL Pillow Block Bearings



LSE415BRHSNQATL Bearing 2D drawings and 3D CAD models

Bearing No. LSE415BRHSNQATL

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	68.01
EAN	0013992059956
Product Group	B04144
Number of Mounting Holes	4
Mounting Method	Clamp Collar
Housing Style	4 Bolt Pillow Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-Expansion
Mounting Bolts	24 Millimeter
Relubricatable	Yes
Insert Part Number	LSE415BR
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Inch - Metric	Inch
Other Features	Single Row Light Duty With Support Wide Inner Ring
Category	Pillow Block Bearings
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80



KOYO BEARING LIMITED

Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.timken.com
Weight / LBS	149.8
Actual Bolt Center to Center	17.7 Inch 450Millimeter
d	4.938 Inch 125.425 Millimeter
Bolt Spacing Maximum	0 Inch 0Millimeter
B	6.378 Inch 162 Millimeter
D	3.74 Inch 95 Millimeter
Nominal Bolt Center to Center	17.7 Inch 450 Millimeter
Bolt Spacing Minimum	0 Inch 0Millimeter
Shaft Size	4-15/16 in
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Retained Type
Support Type	Two-Bolt Plummer Block
Series Type	Light Series
Pillow/Plummer Block Style	Split Cylindrical Housed Unit - Angled
Bolt Size	2 x M30
Dimension H	150 mm
Dimension H2	354 mm
Dimension J	420 mm
Dimension L	500 mm
Dimension M	150 mm
Housing Width	6.1 in
Cr - Dynamic Load Rating	81606 lbf
Cor - Static Load Rating	111505 lbf
Ca - Axial Load Rating	4990.69 lbf
Maximum Speed	1740 rpm



KOYO BEARING LIMITED

Note

This product line was
formerly known as
“ Revolve ”