



KOYO BEARING LIMITED

5.438 Inch | 138.125 Millimeter x 3.874 Inch |
98.4 Millimeter x 7.126 Inch | 181 Millimeter
TIMKEN LSE507BXHSATL Pillow Block Bearings



LSE507BXHSATL Bearing 2D drawings and 3D CAD models

Bearing No. LSE507BXHSATL

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	85.11
EAN	0013992057402
Product Group	B04144
Number of Mounting Holes	4
Mounting Method	Clamp Collar
Housing Style	4 Bolt Pillow Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Expansion
Mounting Bolts	24 Millimeter
Relubricatable	Yes
Insert Part Number	LSE507BX
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Inch - Metric	Inch
Other Features	Single Row Light Duty With Support Wide Inner Ring
Category	Pillow Block Bearings
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80



KOYO BEARING LIMITED

Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.timken.com
Weight / LBS	187.46
d	5.438 Inch 138.125 Millimeter
Bolt Spacing Minimum	0 Inch 0Millimeter
Nominal Bolt Center to Center	19 Inch 482 Millimeter
D	3.874 Inch 98.4 Millimeter
Actual Bolt Center to Center	19 Inch 482Millimeter
B	7.126 Inch 181 Millimeter
Bolt Spacing Maximum	0 Inch 0Millimeter
Shaft Size	5-7/16 in
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Expansion Type
Support Type	Four-Bolt Plummer Block
Series Type	Light Series
Pillow/Plummer Block Style	Split Cylindrical Housed Unit - Standard
Bolt Size	4 x M24
Weight	204 lb
Dimension H	7.126 in
Dimension H1	1.6 in
Dimension H2	15.9 in
Dimension J	19.0 in
Dimension K	4.7 in
Dimension L	22.0 in
Dimension M	7.0 in
Housing Width	6.6 in
Cr - Dynamic Load Rating	94869 lbf



KOYO BEARING LIMITED

Cor - Static Load Rating	131513 lbf
Maximum Speed	1570 rpm
Note	This product line was formerly known as "Revolvo"