



# KOYO BEARING LIMITED

4.438 Inch | 112.725 Millimeter x 3.543 Inch | 90 Millimeter x 5.63 Inch | 143 Millimeter TIMKEN LSE407BRHSNQAATL Pillow Block Bearings



LSE407BRHSNQAATL Bearing 2D drawings and 3D CAD models

Bearing No. LSE407BRHSNQAATL

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	42.94
EAN	0013992059550
Product Group	B04144
Number of Mounting Holes	2
Mounting Method	Clamp Collar
Housing Style	2 Bolt Pillow Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-Expansion
Mounting Bolts	24 Millimeter
Relubricatable	Yes
Insert Part Number	LSE407BR
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Inch - Metric	Inch
Other Features	Single Row   Light Duty   With Support   Wide Inner Ring
Category	Pillow Block Bearings
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80



# KOYO BEARING LIMITED

Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	<a href="http://www.timken.com">http://www.timken.com</a>
Weight / LBS	94.58
Bolt Spacing Maximum	0 Inch   0Millimeter
D	3.543 Inch   90 Millimeter
Bolt Spacing Minimum	0 Inch   0Millimeter
B	5.63 Inch   143 Millimeter
d	4.438 Inch   112.725 Millimeter
Actual Bolt Center to Center	15.4 Inch   392Millimeter
Nominal Bolt Center to Center	15.4 Inch   392 Millimeter
Shaft Size	4-7/16 in
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Retained Type
Support Type	Two-Bolt Plummer Block
Series Type	Light Series
Pillow/Plummer Block Style	Split Cylindrical Housed Unit - Angled
Bolt Size	2 x M24
Dimension H	150 mm
Dimension H2	310 mm
Dimension J	380 mm
Dimension L	445 mm
Dimension M	130 mm
Housing Width	5.6 in
Cr - Dynamic Load Rating	71040 lbf
Cor - Static Load Rating	95993 lbf
Ca - Axial Load Rating	4181.39 lbf
Maximum Speed	1970 rpm



# KOYO BEARING LIMITED

Note

This product line was  
formerly known as  
“ Revolve ”